File View Edit Tools Window Help

L1: (169189) "455"/$.ccls. "370"/$.ccls.
L2: (2550) 1 and (controll$3 near8 "transmission power")
L3: (9702) 1 and "transmission power"
L4: (9702) 2 or 3
L5: (2550) 2 and 3
L6: (89) 1 and (manag$3 near5 "transmission power")
L7: (2593) 2 or 6
L8: (2236) 7 and (interference noise)
L9: (0) 8 and "quality of service"
L10: (513) 8 and (quality near3 service)
L11: (240) 8 and QoS
L12: (534) 10 or 11
L13: (204) 12 and transceiver
L14: (11) 13 and ((reduc$3 or reduction) near5 "transmission power level")
L15: (5) 13 and ((reduc$3 or reduction) near5 "transmission power level")
L16: (0) 13 and (allocat$3 near8 transceiver near8 QoS)
L17: (1) 13 and (allocat$3 near8 transceiver near8 (quality near2 service))
L18: (0) 13 and (assign3 near8 transceiver near8 QoS)
L19: (0) 3 and (assign3 near8 transceiver near8 QoS)
L20: (0) 8 and (assign3 near8 transceiver near8 QoS)
L21: (2) 13 and "air interface channel"
Failed

Search   List   Browse   Queue   Clear
DBs   US-PGPUB; USPA1   ☑ Plurals
Default operator: OR ▼ ☑ Highlight all hit terms initially

13 and "air interface channel"

🔍 BRS form 🔍 IS&R form 📇 Image 📝 Text 📄 HTML

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current	Ret	Inventor	
1	☐	☐	US 20060003784 A1	20060105	26	Trunking and push-to-talk mechanisms for WCDMA wir	455/518			Chion, Mary et al.	F
2	☐	☐	US 20050163070 A1	20050728	16	Methods of controlling transmission power levels in a	370/328			Farnham, Timothy David et al.	F

Hits Details HTML

Ready   NUM

File View Edit Tools Window Help

Active
- L1: (169189) "455"/$.ccls. "370"/$.ccls.
- L2: (2550) 1 and (controll$3 near8 "transmission power")
- L3: (9702) 1 and "transmission power"
- L4: (9702) 2 or 3
- L5: (2550) 2 and 3
- L6: (89) 1 and (manag$3 near5 "transmission power")
- L7: (2593) 2 or 6
- L8: (2236) 7 and (interference noise)
- L9: (0) 8 and "quality of service"
- L10: (513) 8 and (quality near3 service)
- L11: (240) 8 and QoS
- L12: (534) 10 or 11
- L13: (204) 12 and transceiver
- L14: (11) 13 and ((reduc$3 or reduction) near5 "transmission power level")
- L15: (5) 13 and ((reduc$3 or reduction) near5 "transmission power level")
- L16: (0) 13 and (allocat$3 near8 transceiver near8 QoS)
- L17: (1) 13 and (allocat$3 near8 transceiver near8 (quality near2 service))
- L18: (0) 13 and (assign3 near8 transceiver near8 QoS)
- Failed
- Saved

Search   List   Browse   Queue   Clear

DBs   US-PGPUB; USPA1   ☑ Plurals

Default operator: OR   ☑ Highlight all hit terms initially

13 and (assign3 near8 transceiver near8
QoS)

BRS form   IS&R form   Image   Text   HTML

| U	1	Document ID	Issue Date	Pages	Title	Current OR	Current	Ret	Inventor	

Hits   Details   HTML

Ready   NUM

Pending
Active
- L1: (169189) "455"/$.ccls. "370"/$.ccls.
- L2: (2550) 1 and (controll$3 near8 "transmission power")
- L3: (9702) 1 and "transmission power"
- L4: (9702) 2 or 3
- L5: (2550) 2 and 3
- L6: (89) 1 and (manag$3 near5 "transmission power")
- L7: (2593) 2 or 6
- L8: (2236) 7 and (interference noise)
- L9: (0) 8 and "quality of service"
- L10: (513) 8 and (quality near3 service)
- L11: (240) 8 and QoS
- L12: (534) 10 or 11
- L13: (204) 12 and transceiver
- L14: (11) 13 and ((reduc$3 or reduction) near5 "transmission power l
- L15: (5) 13 and ((reduc$3 or reduction) near5 "transmission power le
- L16: (0) 13 and (allocat$3 near8 transceiver near8 QoS)
- L17: (1) 13 and (allocat$3 near8 transceiver near8 (quality near2 servi

Failed
Saved

BRS form   IS&R form   Image   Text   HTML

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current	Ret	Inventor	
1	□	□	US 20050163070 A1	20050728	16	Methods of controlling transmission power levels in a	370/328			Farnham, Timothy David et al.	

Hits   Details   HTML

Ready   NUM

File   View   Edit   Tools   Window   Help

L1: (169189) "455"/$.ccls. "370"/$.ccls.
L2: (2550) 1 and (controll$3 near8 "transmission power")
L3: (9702) 1 and "transmission power"
L4: (9702) 2 or 3
L5: (2550) 2 and 3
L6: (89) 1 and (manag$3 near5 "transmission power")
L7: (2593) 2 or 6
L8: (2236) 7 and (interference noise)
L9: (0) 8 and "quality of service"
L10: (513) 8 and (quality near3 service)
L11: (240) 8 and QoS
L12: (534) 10 or 11
L13: (204) 12 and transceiver
L14: (11) 13 and ((reduc$3 or reduction) near5 "transmission power l
L15: (5) 13 and ((reduc$3 or reduction) near5 "transmission power le

Failed

Search   List   Browse   Queue   Clear
DBs   USPAT
Default operator: OR
☑ Plurals
☑ Highlight all hit terms initially

13 and ((reduc$3 or reduction) near5 "transmission power level")

BRS form   IS&R form   Image   Text   HTML

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current	Ret	Inventor
1	☐	☐	US 7020127 B2	20060328	31	Apparatus and methods for determination of gain factors f	370/342	370/320; 370/335;		Iacono; Ana Lucia et al.
2	☐	☑	US 6898192 B2	20050524	14	Method and apparatus for improving fast forward link p	370/311	370/320; 370/342;		Chheda; Ashvin H. et al.
3	☐	☑	US 6889033 B2	20050503	18	Intelligent gain control in an on-frequency repeater	455/11.1	455/13.4; 455/15;		Bongfeldt; David
4	☐	☑	US 6208869 B1	20010327	6	Mobile radio communicating system including both a publi	455/465	455/426.1; 455/450;		Roberts; Michael et al.
5	☐	☑	US 6154659 A	20001128	27	Fast forward link power control in a code division mul	455/522	455/69		Jalali; Ahmad et al.

Hits   Details   HTML

Ready   NUM